


EAN: 4015474277403  
[static.hansa.com/09479272](https://static.hansa.com/09479272)



- Public & Semi-public
- Touchless, Battery-operated, Trim Kit
- Concealed wall mounting
- Chrome
- Autofocus infrared sensor, Solenoid valve, Low battery indicator
- Square rosette

## Technical data

### Flow properties

Flow-rate at 3 bar **12.0 l/min**

### Technical properties

Hot water supply **max. +70°C**  
 Working pressure **0.5-10 bar**

### Software settings

Automatic flush **24 h (off / 24h)**  
 Automatic flush period **6 s**  
 Pre-flush period **2 s (OFF / 2 s)**

### Electronic properties



Battery **Lithium 2CR5 6 V**




### Regulations

EU Directives **C E 2014/30/EU , 2011/65/EU**  
 EN standard **EN 15091**  
 Protection class **IP 55**

### Approvals and Declarations

UN38.3 **UN38-3 Maxell 2CR5**





## Spare parts

### SP09479272

	Name	Code
1	Sensor, 6/9/12 V Bluetooth	1002253V
1	Sensor, 6 V, (-2020)	59914233
2	Membrane housing	59914231
3	Pilot valve, 6 V	59914232
4	Battery casing	59914154
5	Battery, 2CR5 6 V	59911670

