


CAYONOPLAN

- floor-level shower
- classic design with inner contour
- perfect match for the CAYONO model range
- large standing area with central waste at short side
- made of KALDEWEI steel enamel



Similar illustration



SECURE⁺

Model		2259
External length	a_1	750 mm
Internal length	a_5	640 mm
External width	b_1	1100 mm
Internal width	b_5	990 mm
Depth inside	c_1	18 mm
Height of rim	c_4	32 mm
Height with low-profile support	c_{16}	49 mm
Width of rim	e_5	50 mm
Diameter of waste hole	f_9	Ø90 mm
Distance bath edge to centre of waste hole	$f_2; f_3$	200; 375 mm
External radius	r_1	12 mm
Net weight		20 kg
Anti-slip		375 x 535 mm
Full anti-slip		575 x 935 mm
SECURE PLUS		full base


KALDEWEI

CAYONOPLAN

- floor-level shower
- classic design with inner contour
- perfect match for the CAYONO model range
- large standing area with central waste at short side
- made of KALDEWEI steel enamel



Similar illustration



SECURE⁺

Model		2262
External length	a_1	800 mm
Internal length	a_5	690 mm
External width	b_1	1200 mm
Internal width	b_5	1090 mm
Depth inside	c_1	18 mm
Height of rim	c_4	32 mm
Width of rim	e_5	50 mm
Diameter of waste hole	f_9	Ø90 mm
Distance bath edge to centre of waste hole	$f_2; f_3$	200; 400 mm
External radius	r_1	12 mm
Net weight		25 kg
Anti-slip		375 x 535 mm
Full anti-slip		615 x 1035 mm
SECUREPLUS		full base


KALDEWEI

CAYONOPLAN

- floor-level shower
- classic design with inner contour
- perfect match for the CAYONO model range
- large standing area with central waste at short side
- made of KALDEWEI steel enamel



Similar illustration



SECURE⁺

Model		2264
External length	a_1	800 mm
Internal length	a_5	690 mm
External width	b_1	1300 mm
Internal width	b_5	1190 mm
Depth inside	c_1	25 mm
Height of rim	c_4	40 mm
Height with low-profile support	c_{16}	49 mm
Width of rim	e_5	50 mm
Diameter of waste hole	f_9	Ø90 mm
Distance bath edge to centre of waste hole	$f_2; f_3$	200; 400 mm
External radius	r_1	12 mm
Net weight		25 kg
Anti-slip		555 x 855 mm
Full anti-slip		615 x 1135 mm
SECURE PLUS		full base


KALDEWEI

CAYONOPLAN

- floor-level shower
- classic design with inner contour
- perfect match for the CAYONO model range
- large standing area with central waste at short side
- made of KALDEWEI steel enamel



Similar illustration



SECURE⁺

Model		2276
External length	a_1	800 mm
Internal length	a_5	690 mm
External width	b_1	1600 mm
Internal width	b_5	1490 mm
Depth inside	c_1	25 mm
Height of rim	c_4	40 mm
Height with low-profile support	c_{16}	49 mm
Width of rim	e_5	50 mm
Diameter of waste hole	f_9	Ø90 mm
Distance bath edge to centre of waste hole	$f_2; f_3$	200; 400 mm
External radius	r_1	12 mm
Net weight		33 kg
Anti-slip		555 x 855 mm
Full anti-slip		615 x 1435 mm
SECURE PLUS		full base

KALDEWEI