



Full wall system  
Skolan Safe®: Soundproof pipe system  
Delivery range 2023

Version 04/2023



**Skolan**  
safe®

**Gebr. Ostendorf Kunststoffe GmbH**  
Rudolf-Diesel-Straße 6-8 · 49377 Vechta  
Phone +49 (0) 4441 874-10 · Fax +49 (0) 4441 874-15  
verkauf@ostendorf-kunststoffe.com  
www.ostendorf-kunststoffe.com

WHAT YOU CAN COUNT ON:

# Service through and through...

## CONTACT PERSONS

Please visit our website: [www.ostendorf-kunststoffe.com](http://www.ostendorf-kunststoffe.com)

## QUALITY PRODUCTS MADE IN GERMANY



Factory in Vechta



Factory in Emstek



Factory in Rain am Lech

## RELIABLE ORDER PROCESSING



EDI  
Reception of orders



Binding  
delivery dates



Order picking



Transport of goods



## ALSO OFFERED BY OSTENDORF




Premium quality  
for a top price!




Custom solutions  
according to client  
requirements



## DIGITALIZATION

Catalogs on [www.oxomi.de](http://www.oxomi.de) 

Technical product data on open datacheck 

VOB conform tendering on [www.stlb-bau-online.de](http://www.stlb-bau-online.de) 

All tender specifications on [AUSSCHREIBEN.DE](http://AUSSCHREIBEN.DE)

BIM-Revit-Data on [www.mepcontent.com](http://www.mepcontent.com) 

# Material properties Skolan Safe® Soundproof pipe system

## Commercial Name

Ostendorf Skolan Safe®

## Material

mineral-reinforced polypropylene (PP)

- normal inflammability as per DIN 4102 B2

## DIBt-approval Z-42.1-217

tested on the basis of **ÖNORM EN 1451-1**

## Application

Soundproof pipe system

Drainage until the transfer chamber as

- waste water pipe
- rain water pipe
- ventilation pipe (see also areas of application DIN 1986-4)

## Nominal diameters (DN/OD)

58 / 78 / 90 / 110 / 135 / 160 / 200

## Installation

DIN EN 12056, DIN 1986-100, DIN 4109, VDI 4100

## Colour

Light grey RAL 7035

## Seal

Patented 3 lip seal, factory inlaid SBR lip seal acc. to DIN 681

## Chemical Resistance

Discharge of aggressive media in the range pH2-pH12  
(see also [www.ostendorf-kunststoffe.com](http://www.ostendorf-kunststoffe.com))

## Marking Pipes and Fittings

Permanent marking with manufacturer label, Skolan Safe, nominal diameter, approval No. Z-42.1-217, date of manufacture, material, building material class (fire behaviour)

- Fittings additionally bear information about the nominal angle

## Sound insulation


Measured value 17 dB (A)

Sound insulation test according to DIN EN 14366 (Fraunhofer Institute)

Noise emission at 4 litres volume flow to measurement with Bismat 1000 (P-BA 221/2016)

## Central vacuum cleaning system

Test certificate of the State Material Testing Institute Darmstadt



DN/OD	s (mm)	D (mm)	A+C (mm)	L (mm)
58	4,0	78	60	150 – 3000
78	4,5	98	57	150 – 3000
90	4,5	111	57	150 – 3000
110	5,3	135	74	150 – 3000
135	5,3	161	70	150 – 3000
160	5,3	193	91	150 – 3000
200	6,2	239	112	150 – 3000

You may find the technical data sheets regarding our products on our website: [www.ostendorf-kunststoffe.com](http://www.ostendorf-kunststoffe.com)



## SKOLANsafeEM – Single socket pipe

No.	Description	EAN	Minimum purchase quantity	Unit/crt	Unit/pallet
332000	SKOLANsafeEM DN/OD 58 x 150 mm	4052836320001	18	18	432
332010	SKOLANsafeEM DN/OD 58 x 250 mm	4052836320100	20	20	320
332020	SKOLANsafeEM DN/OD 58 x 500 mm	4052836320209	12	12	192
332040	SKOLANsafeEM DN/OD 58 x 1000 mm	4052836320407	1		114
332060	SKOLANsafeEM DN/OD 58 x 2000 mm	4052836320605	1		114
332070	SKOLANsafeEM DN/OD 58 x 3000 mm	4052836320704	1		114
333000	SKOLANsafeEM DN/OD 78 x 150 mm	4052836330000	10	10	240
333010	SKOLANsafeEM DN/OD 78 x 250 mm	4052836330109	14	14	224
333020	SKOLANsafeEM DN/OD 78 x 500 mm	4052836330208	16	16	128
333040	SKOLANsafeEM DN/OD 78 x 1000 mm	4052836330406	1		70
333060	SKOLANsafeEM DN/OD 78 x 2000 mm	4052836330604	1		70
333070	SKOLANsafeEM DN/OD 78 x 3000 mm	4052836330703	1		70
334000	SKOLANsafeEM DN/OD 90 x 150 mm	4052836340009	26	26	208
334010	SKOLANsafeEM DN/OD 90 x 250 mm	4052836340108	18	18	144
334020	SKOLANsafeEM DN/OD 90 x 500 mm	4052836340207	12	12	96
334040	SKOLANsafeEM DN/OD 90 x 1000 mm	4052836340405	1		60
334060	SKOLANsafeEM DN/OD 90 x 2000 mm	4052836340603	1		60
334070	SKOLANsafeEM DN/OD 90 x 3000 mm	4052836340702	1		60
335000	SKOLANsafeEM DN/OD 110 x 150 mm	4052836350008	20	20	160
335010	SKOLANsafeEM DN/OD 110 x 250 mm	4052836350107	12	12	96
335020	SKOLANsafeEM DN/OD 110 x 500 mm	4052836350206	8	8	64
335040	SKOLANsafeEM DN/OD 110 x 1000 mm	4052836350404	1		40
335060	SKOLANsafeEM DN/OD 110 x 2000 mm	4052836350602	1		40
335070	SKOLANsafeEM DN/OD 110 x 3000 mm	4052836350701	1		40
336000	SKOLANsafeEM DN/OD 135 x 150 mm	4052836360007	1		120
336010	SKOLANsafeEM DN/OD 135 x 250 mm	4052836360106	1		96
336020	SKOLANsafeEM DN/OD 135 x 500 mm	4052836360205	1		48
336040	SKOLANsafeEM DN/OD 135 x 1000 mm	4052836360403	1		24
336060	SKOLANsafeEM DN/OD 135 x 2000 mm	4052836360601	1		24
336070	SKOLANsafeEM DN/OD 135 x 3000 mm	4052836360700	1		24
337000	SKOLANsafeEM DN/OD 160 x 150 mm	4052836370006	1		84
337010	SKOLANsafeEM DN/OD 160 x 250 mm	4052836370105	1		48
337020	SKOLANsafeEM DN/OD 160 x 500 mm	4052836370204	1		35
337040	SKOLANsafeEM DN/OD 160 x 1000 mm	4052836370402	1		21
337060	SKOLANsafeEM DN/OD 160 x 2000 mm	4052836370600	1		21
337070	SKOLANsafeEM DN/OD 160 x 3000 mm	4052836370709	1		21
338000	SKOLANsafeEM DN/OD 200 x 150 mm	4052836380005	1		45
338010	SKOLANsafeEM DN/OD 200 x 250 mm	4052836380104	1		30
338020	SKOLANsafeEM DN/OD 200 x 500 mm	4052836380203	1		20
338040	SKOLANsafeEM DN/OD 200 x 1000 mm	4052836380401	1		15
338060	SKOLANsafeEM DN/OD 200 x 2000 mm	4052836380609	1		15
338070	SKOLANsafeEM DN/OD 200 x 3000 mm	4052836380708	1		15

## SKOLANsafeGL – Plain end pipe



No.	Description	EAN	Minimum purchase quantity	Unit/crt	Unit/pallet
332080	SKOLANsafeGL DN/OD 58 x 3000 mm without socket	4052836320803	1		114
333080	SKOLANsafeGL DN/OD 78 x 3000 mm without socket	4052836330802	1		70
334080	SKOLANsafeGL DN/OD 90 x 3000 mm without socket	4052836340801	1		60
335080	SKOLANsafeGL DN/OD 110 x 3000 mm without socket	4052836350800	1		40
336080	SKOLANsafeGL DN/OD 135 x 3000 mm without socket	4052836360809	1		24
337080	SKOLANsafeGL DN/OD 160 x 3000 mm without socket	4052836370808	1		21
338080	SKOLANsafeGL DN/OD 200 x 3000 mm without socket	4052836380807	1		15

## SKOLANsafeB – Bend



15 Degrees



30 Degrees



45 Degrees



67,5 Degrees



87,5 Degrees

No.	Description	EAN	Minimum purchase quantity	Unit/crt	Unit/pallet
332100	SKOLANsafeB Bend DN/OD 58 15 Degrees	4052836321008	24	24	576
332110	SKOLANsafeB Bend DN/OD 58 30 Degrees	4052836321107	24	24	576
332120	SKOLANsafeB Bend DN/OD 58 45 Degrees	4052836321206	22	22	528
332130	SKOLANsafeB Bend DN/OD 58 67,5 Degrees	4052836321305	20	20	480
332140	SKOLANsafeB Bend DN/OD 58 87,5 Degrees	4052836321404	20	20	480
333100	SKOLANsafeB Bend DN/OD 78 15 Degrees	4052836331007	1	50	400
333110	SKOLANsafeB Bend DN/OD 78 30 Degrees	4052836331106	1	50	400
333120	SKOLANsafeB Bend DN/OD 78 45 Degrees	4052836331205	48	48	384
333130	SKOLANsafeB Bend DN/OD 78 67,5 Degrees	4052836331304	1	44	352
333140	SKOLANsafeB Bend DN/OD 78 87,5 Degrees	4052836331403	1	42	336
334100	SKOLANsafeB Bend DN/OD 90 15 Degrees	4052836341006	1	42	336
334110	SKOLANsafeB Bend DN/OD 90 30 Degrees	4052836341105	1	40	320
334120	SKOLANsafeB Bend DN/OD 90 45 Degrees	4052836341204	34	34	272
334140	SKOLANsafeB Bend DN/OD 90 87,5 Degrees	4052836341402	1	30	240
335100	SKOLANsafeB Bend DN/OD 110 15 Degrees	4052836351005	24	24	192
335110	SKOLANsafeB Bend DN/OD 110 30 Degrees	4052836351104	24	24	192
335120	SKOLANsafeB Bend DN/OD 110 45 Degrees	4052836351203	22	22	176
335130	SKOLANsafeB Bend DN/OD 110 67,5 Degrees	4052836351302	20	20	160
335140	SKOLANsafeB Bend DN/OD 110 87,5 Degrees	4052836351401	18	18	144
336100	SKOLANsafeB Bend DN/OD 135 15 Degrees	4052836361004	1	16	128
336110	SKOLANsafeB Bend DN/OD 135 30 Degrees	4052836361103	1	16	128
336120	SKOLANsafeB Bend DN/OD 135 45 Degrees	4052836361202	1	16	128
336140	SKOLANsafeB Bend DN/OD 135 87,5 Degrees	4052836361400	1	12	96
337100	SKOLANsafeB Bend DN/OD 160 15 Degrees	4052836371003	1	12	72
337110	SKOLANsafeB Bend DN/OD 160 30 Degrees	4052836371102	1	10	60
337120	SKOLANsafeB Bend DN/OD 160 45 Degrees	4052836371201	1	8	48
337140	SKOLANsafeB Bend DN/OD 160 87,5 Degrees	4052836371409	1	8	48
338100	SKOLANsafeB Bend DN/OD 200 15 Degrees	4052836381002	1		40
338110	SKOLANsafeB Bend DN/OD 200 30 Degrees	4052836381101	1		38
338120	SKOLANsafeB Bend DN/OD 200 45 Degrees	4052836381200	1		38
338150	SKOLANsafeB Bend DN/OD 200 87,5 Degrees	4052836121196	1		29

## SKOLANsafeEA – Branch



87,5 Degrees

No.	Description	EAN	Minimum purchase quantity	Unit/crt	Unit/pallet
332200	SKOLANsafeEA Branch DN/OD 58/58 45 Degrees	4052836322005	40	40	320
332300	SKOLANsafeEA Branch DN/OD 58/58 67,5 Degrees	4052836323002	1	44	352
332400	SKOLANsafeEA Branch DN/OD 58/58 87,5 Degrees	4052836324009	1	48	384
333210	SKOLANsafeEA Branch DN/OD 78/58 45 Degrees	4052836332103	1	26	208
333310	SKOLANsafeEA Branch DN/OD 78/58 67,5 Degrees	4052836333100	1	32	256
333410	SKOLANsafeEA Branch DN/OD 78/58 87,5 Degrees	4052836334107	1	34	272
333200	SKOLANsafeEA Branch DN/OD 78/78 45 Degrees	4052836332004	1	20	160
333300	SKOLANsafeEA Branch DN/OD 78/78 67,5 Degrees	4052836333001	1	22	176
333400	SKOLANsafeEA Branch DN/OD 78/78 87,5 Degrees	4052836334008	1	26	208
334220	SKOLANsafeEA Branch DN/OD 90/58 45 Degrees	4052836342201	1	24	192
334420	SKOLANsafeEA Branch DN/OD 90/58 87,5 Degrees	4052836344205	1	26	208
334210	SKOLANsafeEA Branch DN/OD 90/78 45 Degrees	4052836342102	1	18	144
334410	SKOLANsafeEA Branch DN/OD 90/78 87,5 Degrees	4052836344106	1	22	176
334200	SKOLANsafeEA Branch DN/OD 90/90 45 Degrees	4052836342003	1	16	128
334400	SKOLANsafeEA Branch DN/OD 90/90 87,5 Degrees	4052836344007	1	16	128
335220	SKOLANsafeEA Branch DN/OD 110/58 45 Degrees	4052836352200	14	14	112
335320	SKOLANsafeEA Branch DN/OD 110/58 67,5 Degrees	4052836353207	1	18	144
335420	SKOLANsafeEA Branch DN/OD 110/58 87,5 Degrees	4052836354204	18	18	144
335210	SKOLANsafeEA Branch DN/OD 110/78 45 Degrees	4052836352101	1	12	96
335310	SKOLANsafeEA Branch DN/OD 110/78 67,5 Degrees	4052836353108	1	14	112
335410	SKOLANsafeEA Branch DN/OD 110/78 87,5 Degrees	4052836354105	1	14	112
335230	SKOLANsafeEA Branch DN/OD 110/90 45 Degrees	4052836121271	1	10	80
335430	SKOLANsafeEA Branch DN/OD 110/90 87,5 Degrees	4052836121257	1	10	80
335200	SKOLANsafeEA Branch DN/OD 110/110 45 Degrees	4052836352002	9	9	72
335300	SKOLANsafeEA Branch DN/OD 110/110 67,5 Degrees	4052836353009	1	10	80
335400	SKOLANsafeEA Branch DN/OD 110/110 87,5 Degrees	4052836354006	10	10	80
336210	SKOLANsafeEA Branch DN/OD 135/110 45 Degrees	4052836362100	1	7	56
336410	SKOLANsafeEA Branch DN/OD 135/110 87,5 Degrees	4052836364104	1	8	64
336200	SKOLANsafeEA Branch DN/OD 135/135 45 Degrees	4052836362001	1	5	40
336400	SKOLANsafeEA Branch DN/OD 135/135 87,5 Degrees	4052836364005	1	7	56
337210	SKOLANsafeEA Branch DN/OD 160/110 45 Degrees	4052836372109	1	6	36
337410	SKOLANsafeEA Branch DN/OD 160/110 87,5 Degrees	4052836374103	1	6	36
337200	SKOLANsafeEA Branch DN/OD 160/160 45 Degrees	4052836372000	1	4	24
337400	SKOLANsafeEA Branch DN/OD 160/160 87,5 Degrees	4052836374004	1	5	30
338230	SKOLANsafeEA Branch DN/OD 200/110 45 Degrees	4052836120540	1		28
338430	SKOLANsafeEA Branch DN/OD 200/110 87,5 Degrees	4052836121134	1		30
338210	SKOLANsafeEA Branch DN/OD 200/160 45 Degrees	4052836382108	1		20
338410	SKOLANsafeEA Branch DN/OD 200/160 87,5 Degrees	4052836121165	1		26
338200	SKOLANsafeEA Branch DN/OD 200/200 45 Degrees	4052836382009	1		14

New minimum purchase quantity!

New minimum purchase quantity!

New minimum purchase quantity!

New minimum purchase quantity!

New minimum purchase quantity!



45 Degrees

## SKOLANsafeAM – Single socket, Adapter for SML connection



No.	Description	EAN	Minimum purchase quantity	Unit/crt	Unit/pallet
332810	SKOLANsafeAM Single socket DN/OD 58	4052836328106	1	24	576
333810	SKOLANsafeAM Single socket DN/OD 78	4052836338105	1	60	480
334810	SKOLANsafeAM Single socket DN/OD 90	4052836348104	1	44	352
335810	SKOLANsafeAM Single socket DN/OD 110	4052836358103	1	36	288
336810	SKOLANsafeAM Single socket DN/OD 135	4052836368102	1	16	128
337810	SKOLANsafeAM Single socket DN/OD 160	4052836378101	1	20	120
338810	SKOLANsafeAM Single socket DN/OD 200*	4052836388100	1		45

\* no adapter for SML connection

## SKOLANsafeMM – Double socket



No.	Description	EAN	Minimum purchase quantity	Unit/crt	Unit/pallet
332510	SKOLANsafeMM Double socket DN/OD 58	4052836081551	1	44	704
333510	SKOLANsafeMM Double socket DN/OD 78	4052836081582	1	64	512
334510	SKOLANsafeMM Double socket DN/OD 90	4052836081612	1	52	416
335510	SKOLANsafeMM Double socket DN/OD 110	4052836081636	1	28	224
336510	SKOLANsafeMM Double socket DN/OD 135	4052836081667	1	20	160
337510	SKOLANsafeMM Double socket DN/OD 160	4052836081698	1	16	96
338510	SKOLANsafeMM Double socket DN/OD 200	4052836081728	1		50

## SKOLANsafeL – Long socket



No.	Description	EAN	Minimum purchase quantity	Unit/crt	Unit/pallet
335930	SKOLANsafeL Long socket DN/OD 110	4052836359308	1	18	144

## SKOLANsafeM – Plug



No.	Description	EAN	Minimum purchase quantity	Unit/crt	Unit/pallet
332620	SKOLANsafeM Plug DN/OD 58	4052836326201	1	60	1440
333620	SKOLANsafeM Plug DN/OD 78	4052836336200	1	36	864
334620	SKOLANsafeM Plug DN/OD 90	4052836346209	1	76	1216
335620	SKOLANsafeM Plug DN/OD 110	4052836356208	1	60	480
336620	SKOLANsafeM Plug DN/OD 135	4052836366207	1	40	320
337620	SKOLANsafeM Plug DN/OD 160	4052836376206	1	40	240
338620	SKOLANsafeM Plug DN/OD 200	4052836386205	1	20	120

## SKOLANsafeU – Coupler



No.	Description	EAN	Minimum purchase quantity	Unit/crt	Unit/pallet
332500	SKOLANsafeU Coupler DN/OD 58	4052836325006	1	44	704
333500	SKOLANsafeU Coupler DN/OD 78	4052836335005	1	64	512
334500	SKOLANsafeU Coupler DN/OD 90	4052836345004	1	52	416
335500	SKOLANsafeU Coupler DN/OD 110	4052836355003	1	28	224
336500	SKOLANsafeU Coupler DN/OD 135	4052836365002	1	20	160
337500	SKOLANsafeU Coupler DN/OD 160	4052836375001	1	16	96
338500	SKOLANsafeU Coupler DN/OD 200	4052836385000	1		50



### SKOLANSafe – Connection to HT Safe

No.	Description	EAN	Minimum purchase quantity	Unit/crt	Unit/pallet
333830	SKOLANSafe Connection to HT Safe DN/OD 75	4052836338303	20	20	480
336820	SKOLANSafe Connection to HT Safe/KG DN/OD 125	4052836368201	1	16	128

New minimum purchase quantity!



### Skolan Safe – Transition sleeve

No.	Description	EAN	Minimum purchase quantity	Unit/crt	Unit/pallet
910833	SKOLANSafe Transition sleeve Skolan Safe 58 / HT Safe 50 mm	4052836086754	20	20	2560



45 Degrees



87,5 Degrees

### SKOLANSafeEA – Branch/Transition to HT Safe

No.	Description	EAN	Minimum purchase quantity	Unit/crt	Unit/pallet
334230	SKOLANSafeEA Branch DN/OD 90/50 45 Degrees Transition to HT Safe	4052836136374	1	24	192
334430	SKOLANSafeEA Branch DN/OD 90/50 87,5 Degrees Transition to HT Safe	4052836136404	1	26	208
335240	SKOLANSafeEA Branch DN/OD 110/50 45 Degrees Transition to HT Safe	4052836124739	1	14	112
335440	SKOLANSafeEA Branch DN/OD 110/50 87,5 Degrees Transition to HT Safe	4052836124791	1	18	144



### SKOLANSafeDA – Double branch

No.	Description	EAN	Minimum purchase quantity	Unit/crt	Unit/pallet
333900	SKOLANSafeDA Double branch DN/OD 78/78/78 87,5 Degrees	4052836121325	1	20	160
334900	SKOLANSafeDA Double branch DN/OD 90/90/90 87,5 Degrees (swept)*	4052836349002	1	10	80
335900	SKOLANSafeDA Double branch DN/OD 110/110/110 87,5 Degrees (swept)*	4052836359001	1	8	64

\*with improved branch design for a better flow



### SKOLANSafeED – Double corner branch

No.	Description	EAN	Minimum purchase quantity	Unit/crt	Unit/pallet
334910	SKOLANSafeED Double corner branch DN/OD 90/90/90 87,5 Degrees	4052836349101	1		108
335910	SKOLANSafeED Double corner branch DN/OD 110/110/110 87,5 Degrees	4052836359100	1	10	80





## SKOLANSafeEP – Corner branch

No.	Description	EAN	Minimum purchase quantity	Unit/crt	Unit/pallet
335975	SKOLANSafeEP Corner branch DN/OD 110/110/78/87,5 Degrees left	4025075373756	1		60
335985	SKOLANSafeEP Corner branch DN/OD 110/110/78/87,5 Degrees right	4025075373855	1		60



## SKOLANSafeDDA – Double branch for showers

No.	Description	EAN	Minimum purchase quantity	Unit/crt	Unit/pallet
334670	Skolan Safe-DDA Double branch for showers DN/OD 90/90/58	4052836103123	1		25
334680	Skolan Safe-DDA Double branch for showers 90° left DN/OD 90/90/58	4052836103161	1		25
334690	Skolan Safe-DDA Double branch for showers 90° right DN/OD 90/90/58	4052836103208	1		25
335670	Skolan Safe-DDA Double branch for showers DN/OD 110/110/58	4052836103246	1		25
335680	Skolan Safe-DDA Double branch for showers 90° left DN/OD 110/110/58	4052836103284	1		25
335690	Skolan Safe-DDA Double branch for showers 90° right DN/OD 110/110/58	4052836103321	1		25



## SKOLANSafePA – Parallel branch

No.	Description	EAN	Minimum purchase quantity	Unit/crt	Unit/pallet
335920	SKOLANSafePA Parallel branch DN/OD 110/110	4052836359209	1	10	80



## SKOLANSafeSW – Siphon bend

No.	Description	EAN	Minimum purchase quantity	Unit/crt	Unit/pallet
335940	SKOLANSafeSW Siphon bend DN/OD 58/40	4052836359407	1	54	1296



## SKOLANSafeR – Reducer

No.	Description	EAN	Minimum purchase quantity	Unit/crt	Unit/pallet
333710	SKOLANSafeR Reducer DN/OD 78/58	4052836337108	1	20	480
334720	SKOLANSafeR Reducer DN/OD 90/58	4052836347206	1	100	800
334710	SKOLANSafeR Reducer DN/OD 90/78	4052836347107	1	58	464
335720	SKOLANSafeR Reducer DN/OD 110/58	4052836357205	1	52	416
335710	SKOLANSafeR Reducer DN/OD 110/78	4052836357106	1	52	416
335700	SKOLANSafeR Reducer DN/OD 110/90	4052836357007	1	36	288
336710	SKOLANSafeR Reducer DN/OD 135/110	4052836367105	1	22	176
337710	SKOLANSafeR Reducer DN/OD 160/110	4052836377104	1	20	160
337700	SKOLANSafeR Reducer DN/OD 160/135	4052836377005	1	14	112
338710	SKOLANSafeR Reducer DN/OD 200/160	4052836387103	1	10	60



## SKOLANSafe Reducer HT

No.	Description	EAN	Minimum purchase quantity	Unit/crt	Unit/pallet
332750	SKOLANSafe Reducer HT DN/OD 58/40	4052836327505	1	50	1200
333750	SKOLANSafe Reducer HT DN/OD 78/50	4052836337504	1	100	800



DN/OD 58 – DN/OD 90



DN/OD 110



DN/OD 135 – DN/OD 200

## SKOLANSafeRE – Inspection pipe

No.	Description	EAN	Minimum purchase quantity	Unit/crt	Unit/pallet
332600	SKOLANSafeRE Inspection pipe DN/OD 58	4052836326003	1	32	512
333600	SKOLANSafeRE Inspection pipe DN/OD 78	4052836336002	1	36	288
334600	SKOLANSafeRE Inspection pipe DN/OD 90	4052836346001	1	9	216
335600	SKOLANSafeRE Inspection pipe DN/OD 110	4052836356000	1	12	96
336600	SKOLANSafeRE Inspection pipe DN/OD 135	4052836366009	1		40
337600	SKOLANSafeRE Inspection pipe DN/OD 160	4052836376008	1		40
338600	SKOLANSafeRE Inspection pipe DN/OD 200	4052836386007	1		20

Unit changed!



## SKOLANSafeLB – Long bend

No.	Description	EAN	Minimum purchase quantity	Unit/crt	Unit/pallet
335960	SKOLANSafeLB Long bend DN/OD 110 45 Degrees	4052836359605	1	12	96



## Skolan Safe – Replacement lip seal SBR

No.	Description	EAN	Minimum purchase quantity	Unit/crt	Unit/pallet
880605	Replacement lip seal SBR DN/OD 58 (Skolan Safe)	4052836806055	1		
880615	Replacement lip seal SBR DN/OD 78 (Skolan Safe)	4052836014054	1		
880047	Replacement lip seal SBR DN/OD 90 (HT Safe, Skolan Safe)	4052836003768	1		
880400	Replacement lip seal SBR DN/OD 110 (KG2000, Skolan Safe)	4052836804006	1		
880645	Replacement lip seal SBR DN/OD 135 (Skolan Safe)	4052836014238	1		
880420	Replacement lip seal SBR DN/OD 160 (KG2000, Skolan Safe)	4052836804204	1		
880430	Replacement lip seal SBR DN/OD 200 (KG2000, Skolan Safe)	4052836804303	1		



## Skolan Safe – Replacement lip seal NBR (resistant against oils)

No.	Description	EAN	Minimum purchase quantity	Unit/crt	Unit/pallet
880705	Replacement lip seal NBR DN/OD 58 (Skolan Safe)	4052836014252	1		
880715	Replacement lip seal NBR DN/OD 78 (Skolan Safe)	4052836014276	1		
880247	Replacement lip seal NBR DN/OD 90 (HT Safe, Skolan Safe)	4052836004109	1		
880500	Replacement lip seal NBR DN/OD 110 (KG2000, Skolan Safe)	4052836805003	1		
880745	Replacement lip seal NBR DN/OD 135 (Skolan Safe)	4052836014313	1		
880520	Replacement lip seal NBR DN/OD 160 (KG2000, Skolan Safe)	4052836805201	1		
880530	Replacement lip seal NBR DN/OD 200 (KG2000, Skolan Safe)	4052836805300	1		



## Skolan Safe – Gasket for siphon bend

No.	Description	EAN	Minimum purchase quantity	Unit/crt	Unit/pallet
881210	Gasket for siphon bend DN/OD 40/30 B	4052836812100	1	20	
881220	Gasket for siphon bend DN/OD 40/40 C	4052836812209	1	20	



### Skolan Safe – Pullout-protection

No.	Description	EAN	Minimum purchase quantity	Unit/crt	Unit/pallet
881505	Pullout-protection DN/OD 58	4052836815057	1	50	
881515	Pullout-protection DN/OD 78	4052836815156	1	30	
881520	Pullout-protection DN/OD 90	4052836815200	1	20	
881535	Pullout-protection DN/OD 110	40528368086808	1	26	
881545	Pullout-protection DN/OD 135	4052836815453	1	15	
881555	Pullout-protection DN/OD 160	4052836152459	1	10	
881565	Pullout-protection DN/OD 200	4052836152480	1	10	




### Skolan Safe – Safety clamps for plugs


No.	Description	EAN	Minimum purchase quantity	Unit/crt	Unit/pallet
839010	Safety clamps for plugs DN/OD 58	4052836390103	1		
839020	Safety clamps for plugs DN/OD 78	4052836390202	1		
839030	Safety clamps for plugs DN/OD 90	4052836390301	1		
839040	Safety clamps for plugs DN/OD 110	4052836390400	1		
839050	Safety clamps for plugs DN/OD 135	4052836390509	1		
839060	Safety clamps for plugs DN/OD 160	4052836390608	1		
839070	Safety clamps for plugs DN/OD 200	4052836390707	1		




### Skolan Safe – Lubricant

No.	Description	EAN	Minimum purchase quantity	Unit/crt	Unit/pallet
881800	Lubricant 150 ml	4052836818003	1	50	
881810	Lubricant 250 ml	4052836818102	1	50	
881820	Lubricant 500 ml	4052836818201	1	24	
881830	Lubricant 1.000 ml	4052836818300	1	12	
881840	Lubricant 3.000 ml bucket	4052836123749	1	1	







One thing is safe.



Gebr. Ostendorf Kunststoffe GmbH

