

EAN: 4057304020414
static.hansa.com/5437220733006





When great design becomes an attraction of its own, you know it will make a difference in your life. Besides bringing beauty to life, this new classic is also designed to bring any modern bathroom to the next level. Slender design and graceful shapes make this faucet the highlight of any space.

High quality
 Sleek design
 Anti-limescale rubber aerator for easy cleaning
 ColdStart
 Pop up
 Made in Europe

Perfect fit for any bathroom

- Washbasin
- Single-lever, Cold Start
- Deck mounted
- Matt black
- Fixed spout
- Standard aerator, PCA® - constant flow rate regardless of pressure variations
- Single operating lever/handle, Pin shape, Hot/Cold symbols
- Limitation option for maximum temperature and flow-rate, Adjustable hot water stop (included, retrofittable), Energy saving variation (Cold Start) - cold water in the middle position
- ø 30 mm ceramic cartridge for flow and temperature control
- Flexible inlet pipes
- Inner body made of DZR brass
- Without pop-up waste



Technical data

Flow properties

Eco-flow at 3 bar	4.5 l/min
Flow-rate at 3 bar (with flow controller)	5.0 l/min
Pressure loss with flow (0.1 l/s)	1.55 bar

Technical properties

Hot water supply	max. +90°C
Working pressure	0.5-10 bar
Connection size	G3/8
Projection	133 mm
Backflow prevention (EN1717)	AA
Material	Brass

Regulations


EN standard	EN 817
Noise class	I (ISO 3822)

Approvals and Declarations


Declaration of conformity	DoC
EPD	S-P-06391

Sustainability

EPD module A1 (kg CO2 eq.)	7,87
EPD module A2 (kg CO2 eq.)	0,38
EPD module A3 (kg CO2 eq.)	0,74
EPD module A1-A3 (kg CO2 eq.)	8,99
EPD module A4 (kg CO2 eq.)	0,25
EPD module B7 (kg CO2 eq.)	1390,50
EPD module C2 (kg CO2 eq.)	0,02
EPD module C3 (kg CO2 eq.)	0,02
EPD module C4 (kg CO2 eq.)	0,07
EPD module D (kg CO2 eq.)	-6,39



Spare parts



SP5437220733006

	Name	Code
01	Lever Matt black	1017996V-33
02	Tightening nut, M34x1.5	1012133V
03	Cartridge, 3.0 cold start	1014430V
04	Fixing set	59913479